

VISCOUNT AXESS INTERCOM SYSTEM. MADE IN CANADA

viscount systems

MESH Axess Dialer



Secure Your Entrance
**with Style
and Reliability**

- Built on 46 years of experience
- Rugged design to withstand the harshest environments
- Vandal resistant
- Broad product range to satisfy all requirements

TO VIEW AND SEE THE DEMO OF THE ENTERPHONE CENTURION SYSTEM PLEASE CONTACT OUR SALES LINE AT 67852171 OR EMAIL US AT: SALES@SECURITEX.COM.SG

SECURITEX ELECTRONIC SYSTEMS ENGINEERING
BLOCK 9010 TAMPINES STREET 93 #04-145 TAMPINES INDUSTRIAL PARK A SINGAPORE 528844
T: 6785217 F: 65850107 W: [HTTP://WWW.SECURITEX.COM.SG](http://www.securitex.com.sg) E: SALES@SECURITEX.COM.SG

VISCOUNT AXESS INTERCOM SYSTEM. MADE IN CANADA

MESH[®] Axess

The MESH Axess Dailer comes in a range of painted or stainless steel enclosures with built-in or separate directories.

The Classic and Slimline styles are specifically designed to match the existing enclosures when upgrading. A strong, reliable and affordable entry system is a vital element of your residential or commercial building security.

The MESH Axess Dailer provides added security and communication along with reliability and flexibility - all at a competitive price!



Standard Security Features:

- 1000 Personalized security codes for keyless entry
- Remotely programmable
- Multiple door capability
- Optional built-in postal lock switch
- Adjustable volume control
- Muted tones during dialing
- Blocks DTMF tones through microphone once voice path established
- "3 strikes you're out" feature for tenant security codes and programming codes

Programming Features:

- PBX capability
- Programmable to dial from 1 to 14 digits
- Suite Codes from 2-5 digits
- Programmable talk time from 0 - 900 seconds (15min)
- Variable programmable directory code from 2-5 digits
- Programmable relay activation time from 0-900 seconds

- Programmable ON/OFF background "beep" to indicate call from a visitor

Optional Features:

- Optional built-in color camera (# 46-2500-11)
- Postal Switch (# 210-4502)
- Card Access Interface
- Centurion 26 line lettering kit (# 46-0661-02)

Electrical Specifications:

Power Supply:
Class II Transformer 16VAC 20VA (#194-1000)

Jack Requirement:
RJ11C

Operation Temperature:
00-50° C / 320-1200° F

Relative Humidity:
Non-condensing at 95%

* For additional information on EPX please refer to the separate brochure.

VISCOUNT AXESS INTERCOM SYSTEM. MADE IN CANADA

Many Styles to Choose from:

Centurion Panel

The Axess Centurion is an economical telephone entry panel with a built-in paper directory to list up to 150 tenant codes.

The enclosure is constructed of heavy gauge steel with an epoxy coated finish to resist fire, scratching, and chemicals. Each unit is weather sealed and the directory is protected by an aircraft type Lexan window.

Dimensions:

12.5" w x 16.5" h x 2.7" d
(Dimensions of Directory
Only Option are the same)

Centurion: # 50-26-02

Centurion Directory: #50-0661-53

Flush Mount Trim:

14.5" w x 18.5" h
(Allow 13" x 17"
opening for mounting)

46-0661-11



Centurion S Panel

The Axess Centurion S is an economical telephone entry panel with a built-in paper directory to list up to 150 tenant codes.

The enclosure is constructed of heavy gauge stainless steel. Each unit is weather sealed and the directory is protected with an aircraft type Lexan window.

Dimensions:

12.5" w x 16.5" h x 2.7" d
(Dimensions of directory
Only Option are the same)

Centurion S: # 50-1901-01

Centurion S Directory:
#50-0664-03

Flush Mount Trim:

14.5" w x 18.5" h
(Allow 13" x 17"
opening for mounting)

46-0664-01



Centurion No Directory (ND) Panel

The Axess Centurion ND is an economical telephone entry panel. The enclosure is constructed of heavy gauge stainless steel without a built-in directory.

Dimensions:

7" w x 14" h x 2.75" d

Centurion ND: #50-26-03

Flush Mount Trim:

9.125" w x 16.125" h x 2.125" d
(Allow 7.5" w x 14.5" h opening for mounting)

#46-0664-02



Centurion Weather Hood with Optional Vandal Proofing

The Centurion weather hood is designed to shield Centurion Panels from rain and snow.

The Centurion Weather hood can come with an optional locked vandal proofing attachment to prevent vandalism and tampering.

Dimensions:

Centurion: 13" w x 17.5" h x 5" d

Centurion ND: 7.5" w x 15" h x 5" d



Weather Hood Centurion: #14-0661-60/A

Weather Hood Centurion ND: #14-0664-13

Locking Kit Centurion: #14-1661-601B & #368-2333

VISCOUNT AXESS INTERCOM SYSTEM. MADE IN CANADA

Centurion Flush Mount Frame Trim

Centurion Trim Dimensions:

14.5"wx16.5"h
(allow 13"x17" opening)

Flush Mount Trim (Silver)

#46-0661-11

Flush Mount Trim (Stainless)

#46-0664-01

Centurion ND Trim Dimensions:

7" w x 14" h x 2.75" d

Flush Mount Trim #46-0664-02



Optional Hi-Security Frame



Classic Security Frame with Lock Bar #46-0633-04-1

Classic Panel

The Axess Classic panel is Viscount's traditional panel and is designed to match the existing Enterphone 2000 and MKIII enclosure for retrofit applications.

The panel comes with individual name strips and letter kit for 60 tenant names.

The enclosure is constructed of heavy gauge steel with an epoxy coated finish to resist fire, scratching, and chemicals. The Classic Panel features 1" keypad buttons to assist seniors and the handicapped. Each unit is weather sealed and the directory is protected by aircraft type Lexan window.



Classic #50-26-04



Classic Directory #50-33-03-1

Dimensions:

24" w x 12.5" h x 2" d

(Dimensions of Directory Only Option are the same)

Slimline Panel

The Axess Slimline panel is designed to match the existing Enterphone 2000 and MKIII enclosure for retrofit applications.

The enclosure is constructed of heavy gauge steel with an epoxy coated finish to resist fire, scratching, and chemicals. The separate matching directory comes with a letter kit and can hold up to 55 tenant names.

Dimensions:

7.13" w x 27.66" h x 0.75" d

(Dimensions of Directory

Only Option are the same)

Slimline # 50-32-01-1

Slimline Directory # 50-32-03-1



Call: 604-327-9446

www.viscount.com sales@viscount.com

viscount systems

EB50014121214 R1

SECURITEX ELECTRONIC SYSTEMS ENGINEERING

BLOCK 9010 TAMPINES STREET 93 #04-145 TAMPINES INDUSTRIAL PARK A SINGAPORE 528844

T: 6785217 F: 65850107 W: [HTTP://WWW.SECURITEX.COM.SG](http://www.securitex.com.sg) E: SALES@SECURITEX.COM.SG