

**PT570P/PT570-24P
Series
Medium Duty Pan/Tilt**

**Installation/Operation
Manual**

C330M-G (3/99)



Pelco • 300 W. Pontiac Way, Clovis • CA 93612-5699 USA • Pelco Online @ <http://www.pelco.com>
In North America and Canada: Tel (800) 289-9100 or FAX (800) 289-9150 • DataFAX (800) 289-9108
International Customers: Tel (1-559) 292-1981 or FAX (1-559) 348-1120 • DataFAX (1-559) 292-0435

CONTENTS

Section	Page
1.0 GENERAL	5
1.1 IMPORTANT SAFEGUARDS AND WARNINGS	5
2.0 DESCRIPTION	6
2.1 MODELS	6
2.2 OPTIONS	6
2.3 CERTIFICATIONS	6
3.0 INSTALLATION	7
3.1 MOUNTING	7
3.2 CAMERA/ENCLOSURE MOUNTING	7
3.3 WIRING	7
3.3.1 MATING CONNECTOR ASSEMBLY	9
3.4 LIMIT STOP ADJUSTMENTS	11
4.0 OPERATION	12
5.0 TROUBLESHOOTING	12
5.1 SERVICE MANUAL	12
6.0 MAINTENANCE	13
6.1 TIGHTENING DRIVE CHAINS	13
6.2 CHAIN DRIVE LUBRICATION	13
7.0 SPECIFICATIONS	14
8.0 WARRANTY AND RETURN INFORMATION	16

LIST OF ILLUSTRATIONS

Figure	Page
1 SEALANT LOCATIONS	7
2 CONNECTOR ASSEMBLY	9
3 PT570P/PT570-24P SERIES WIRING DIAGRAM	10
4 PT570P/PT570-24P SERIES LIMIT STOP ADJUSTMENTS	11
5 SERVICING THE PAN/TILT	13
6 PT570P/PT570-24P SERIES DIMENSION DRAWING	15

LIST OF TABLES

Table	Page
A Maximum Cable Distances	8
B Recommended Cable Distances Using RB115/RB24 Relay Box	8

REVISION HISTORY

Manual #	Date	Comments
C330M	—	Original version.
C330M	3/90	Rev. A. Completely revised. Models PT570P/PP and PT570-24P/PP added.
C330M	2/91	Rev. B. Section 1.1, Warnings, added for UL compliance. Sections 2.3 and 4.3.1 revised.
C330M	10/91	Rev. C. Revised to include Model PT570-24P/PP/HB.
C330M	2/92	Rev. D. Revised to include Models PT570P/HB and PT570-24P/HB. Section 7.0, Exploded Assembly Diagram, and Sections 8.0 and 8.1, Mechanical and Hardware Parts Lists, added.
C330M-E	6/95	Rev. E. Revised manual to standardize 120 VAC operation. Section 3.0, Power Requirements, and Section 4.3.1, Conductor/Cable Requirements, revised. Section 6.3 Drive/Chain Maintenance added. Figures 3 thru 9 revised to indicate ground wire is green.
	6/22/95	Figure 14 revised to match parts list in Sections 8.0 and 8.1.
C330M-F	4/97	Rev.F. Revised connector assembly instructions and drawing. Combined wiring diagrams. Revised Section 4.5 with new limit stop drawings and instructions. Moved the potentiometer adjustment to the maintenance section. Included revised maintenance section.
C330M-G	10/98	Revised model and option numbers. Added certifications. Revised installation instructions. Moved exploded assembly diagram, parts lists, and potentiometer adjustment to maintenance/service manual.
	3/99	Revised Figure 3 preset pinouts, pins 2 and 9, for up/down and right/left functions.

(This page intentionally left blank)

1.0 GENERAL

1.1 IMPORTANT SAFEGUARDS AND WARNINGS

Prior to installation and use of this product, the following WARNINGS should be observed.

1. Installation and servicing should only be done by qualified service personnel and conform to all local codes.
2. Unless the unit is specifically marked as a NEMA Type 3, 3R, 3S, 4, 4X, 6, or 6P enclosure, it is designed for indoor use only and it must not be installed where exposed to rain and moisture.
3. The weight of the camera/lens and enclosure shall not exceed 40 lb (18.16 kg), subject to specific pan/tilt unit.
4. Only use replacement parts recommended by Pelco.
5. After replacement/repair of this unit's electrical components, conduct a resistance measurement between line and exposed parts to verify the exposed parts have not been connected to line circuitry.
6. The installation method and materials should be capable of supporting four times the weight of the enclosure, pan/tilt, camera and lens combination.


The product may bear the following marks:



This symbol indicates that dangerous voltage constituting a risk of electric shock is present within this unit.



This symbol indicates that there are important operating and maintenance instructions in the literature accompanying this unit.



Please thoroughly familiarize yourself with the information in this manual prior to installation and operation.

2.0 DESCRIPTION

The PT570P Series and the PT570-24P Series have been engineered to provide medium duty, indoor/outdoor pan and tilt operation. All units feature rugged worm gear final drives to minimize backlash and prevent wind drift, and are fully adjustable for wear.

Control voltages are 120 VAC for the PT570P Series and 24 VAC for the PT570-24P Series. Construction is of aluminum, and the units are completely sealed for all weather use. The PT570P Series and PT570-24P Series will accept enclosure, camera and lens combinations up to 40 pounds (18.16 kg).

2.1 MODELS

PT570P	Medium duty pan/tilt, 120 VAC operation.
PT570P/PP	Medium duty pan/tilt, 120 VAC operation with preset position option (PP).
PT570P/RAD	Same as PT570P except supplied with radiation resistant white epoxy paint (resistant up to 10 ⁶ rads)
PT570-24P	Medium duty pan/tilt, 24 VAC operation.
PT570-24P/PP	Medium duty pan/tilt, 24 VAC operation with preset position option (PP)
PT570P-24P/RAD	Same as PT570-24P except supplied with radiation resistant white epoxy paint (resistant up to 10 ⁶ rads)

2.2 OPTIONS

FG/570	Special high speed gears — 9°/4.5° per sec pan/tilt speed. (Reduces load to 20 lb or 9.08 kg)
FGP/570	Special high-speed gearing for pan — 9°/sec pan speed.
FGT/570	Special high-speed gearing for tilt — 4.5°/sec tilt speed. (Reduces load to 20 lb or 9.08 kg)
HB/570	Blanket heater in cover. Allows operation to -50°F (-46°C). 75 watts total. 120 VAC, 50/60 HZ.

2.3 CERTIFICATIONS

The products identified below have been tested and certified for agency compliance as noted.

Model	Agency Compliance Certification			
	CE	FCC	UL	CSA/cUL
PT570P			X	
PT570P/PP			X	
PT570P/RAD			X	
PT570-24P	X		X	
PT570-24P/PP	X		X	
PT570-24P/RAD			X	

Applicable CE, FCC, UL, and CSA/cUL standards:

- CE Class B
- UL Standard 2044

Additional applicable ratings:

- NEMA Type 3R
- IP 32

3.0 INSTALLATION



CAUTION: Pan/tilts in the PT570P/PT570-24P Series are designed for upright or inverted operation and should never be mounted horizontally.

Pan/tilts in the PT570P/PT570-24P Series are designed to mount onto a horizontal surface in the upright or inverted position.

In order to ensure proper wiring and system operation of all components, it is recommended that you test the pan/tilt and the associated control equipment in your facility before field installation. Refer to Sections 3.3 through 3.4.

3.1 MOUNTING

NOTE: When mounting the pan/tilt outdoors in the inverted position (base up), RTV silicone sealant, such as Dow Corning Type 732 or equivalent, should be applied to the areas indicated in Figure 1.

Attach the pan/tilt unit to a mount, following the instructions that accompany the mount. To ensure maximum pan travel, mount the pan/tilt so that the fixed limit stop is directly opposite the center of the intended viewing area.

Make sure the mounting surface and the mounting method is strong enough to support four times the combined weight of the pan/tilt, enclosure, camera and lens.

3.2 CAMERA/ENCLOSURE MOUNTING

Attach the enclosure, camera and lens to the pan/tilt unit with 1/4-20 hardware (not supplied). The enclosure, camera and lens must be correctly mounted and balanced on the tilt table for proper operation.

3.3 WIRING

Cable distances for pan and tilt motors should not exceed the distances specified in Table A. Cable fabrication must be in accordance with Section 3.3.1, Mating Connector Assembly. The following are some recommended common installation practices.

1. Always use jacketed stranded multi-conductor interconnecting cable between the control and the pan/tilt unit, with additional conductors than needed for future servicing and or additions.
2. Always use color-coded conductors for ease of wiring and to identify functions at a later date.
3. Keep a wiring diagram with the system for later use and reference.




Figure 1 . Sealant Locations

Table A. Maximum Cable Distances

	Maximum Distance	
Wire Size	PT570P	
	6 Conductors	7 Conductors*
20 AWG	1,045 ft (318.5 m)	2,080 ft (634 m)
18 AWG	1,665 ft (507.5 m)	3,330 ft (1,014 m)
16 AWG	2,640 ft (804.7 m)	5,285 ft (1,610.9 m)
Wire Size	PT570P-24P	
	6 Conductors	7 Conductors*
20 AWG	40 ft (12.19 m)	85 ft (25.91 m)
18 AWG	65 ft (19.81 m)	135 ft (41.15 m)
16 AWG	110 ft (33.53 m)	220 ft (67.06 m)

*Using 2-wire motor common

Cable distances are for both motors running and assuming a 10% voltage drop in the cable.


Six-conductor cable, single common conductor is recommended. Distances are approximate maximum recommended under the following conditions:

- Simultaneous pan/tilt activation
- Minimum 21.6 volts (PT570-24P Series) or 103.5 volts (PT570P Series) at pan/tilt

Operating distance may be extended by using an RB24 (24 VAC pan/tilt) or RB115 (120 VAC pan/tilt) remote relay box. Refer to Table B for extended cable distances.

Table B. Recommended Cable Distances Using RB115/RB24 Relay Box

Wire Size (AWG)	Maximum Distance "A"	RB115 Maximum Distance "B"	RB24 Maximum Distance "B"
20	5,800 ft (1,768 m)	1,045 ft (318.52 m)	40 ft (12.19 m)
18	8,250 ft (2,515 m)	1,665 ft (507.49 m)	65 ft (19.81 m)
16	13,000 ft (3,962 m)	2,640 ft (804.67 m)	110 ft (33.53 m)



3.3.1 Mating Connector Assembly

NOTE: Contacts cannot be removed from the connector without the use of the appropriate AMP extraction tool (ZT305183), which is available from Pelco.

NOTE: When a pan/tilt is mounted in the inverted position, the LEFT/RIGHT and UP/DOWN functions are reversed during operation. To correct this problem, reverse the LEFT/RIGHT functions in the control cable (pins 3 and 7) at the pan/tilt or control and the UP/DOWN functions (pins 5 and 6) at the pan/tilt or control.

To assemble the mating connectors, refer to Figure 2 and perform the following steps.

The instructions that follow apply to all AMP style connectors regardless of pin size or pin number.

1. Slide the connector clamp assembly over the conductor cable. If the diameter of the conductor cable is such that the rubber boot will slide over it easily, slide the rubber boot onto the conductor cable at this time. If not, discard the rubber boot.
2. Refer to Detail A in Figure 2. Prepare the wires from the conductor cable as follows:
 - a. Strip at least 1-inch (2.54 cm) from the cable jacket to expose the wires. You may need to strip more from the cable jacket if you have more wires.
 - b. Strip 1/8-inch (0.32 cm) from each wire.
 - c. Using an AMP style crimper, crimp the wires and their insulation to the connector pins.
3. Slide the connector pins into the appropriate holes in the connector body until they snap into place. Refer to detail B in Figure 2 and to Figure 3 for correct pin arrangement, depending on model and options.
4. Push the connector clamp assembly (with boot, if used) toward the connector body. Screw the clamp assembly onto the connector body, being careful not to disturb the wires.
5. To complete the assembly, attach the appropriate clamp with the screws provided and tighten.




Figure 2. Connector Assembly




Figure 3. PT570P/PT570-24P Series Wiring Diagram

3.4 LIMIT STOP ADJUSTMENTS



WARNING: Do not operate the pan/tilt without limit stops.

Do not attempt to adjust the limit stops while the unit is operating. Personal injury or damage to the unit may result.

Do not remove or reposition the fixed limit stop on the pan/tilt. **DAMAGE WILL OCCUR.**

To set pan/tilt limit stops, perform the following steps. Refer to Figure 4.

1. Loosen the pan limit stops.
2. Turn the control unit on. Pan the unit to the right until the desired right pan limit is reached.
3. Move the right pan limit stop until it touches the pan limit switch actuator. Move the stop a slight distance further against the actuator until it clicks to indicate the opening of the limit switch. Lock the stop in place.
4. Pan the unit to the desired left position. Adjust the left pan limit stop as described in step 3.
5. Pan left and right to both limit stops and check for exact positioning. Tighten both stops securely.
6. Remove the cover plate from the left side of the tilt table. Loosen the limit stop screws and tilt the table, using the joystick, to the desired up position.
7. Move the up limit stop until it touches the tilt limit switch actuator and clicks. Lock the stop in place.
8. Tilt the table to the desired down position and set the stop in the same manner.
9. Tilt the table up and down and check for exact positioning. Tighten both stops securely. Replace the cover plate.




Figure 4. PT570P/PT570-24P Series Limit Stop Adjustments

4.0 OPERATION

| Refer to the manual for your control equipment for operating the pan/tilt.

5.0 TROUBLESHOOTING

Some common problems encountered with pan/tilt systems include miswiring, overloading, and not using the units for the correct application. If the pan/tilt unit fails to operate, do the following:

1. Check the fuse in the control unit. If the fuse is bad, replace it.
2. If the fuse blows after replacing it, check the control cable between the control unit and the pan/tilt for shorts, high resistance, or opens.
3. If the control cable is good, reconnect it to the control unit but not to the pan/tilt. Replace the fuse and operate the control unit. If the fuse blows again, the fault is in the control.

Refer to Figure 3 for the following steps.

4. If the control unit is good, check the wiring harness in the pan/tilt for shorts.
5. If the wiring harness is good, check the motor starting capacitors.
6. If the starting capacitors are good, check the motors for opens and shorts. There should be low resistance between the windings.
7. Check the limit switches for opens and shorts.

5.1 SERVICE MANUAL

If you need to service your unit, obtain a service manual in one of the following ways:

- Go to Pelco's web site at <http://www.pelco.com> and find service manual C325SM.
- Call Pelco's DataFAX service at 1-559-292-0435 and request document 23258.
- Contact Pelco's Literature Department and request service manual C325SM.

6.0 MAINTENANCE

Inspect the pan/tilt unit every six months to ensure trouble-free operation and an extended product life. Harsh environments and/or continuous motion applications may require more frequent maintenance.

Please read all of the instructions that follow before servicing the pan/tilt.

To begin, remove the three screws on the front of the pan/tilt housing and lift the cover to gain access to the pan and tilt motor assemblies.

6.1 TIGHTENING DRIVE CHAINS

Check the pan and tilt drive chains for tension. A movement of 1/32 of an inch to 3/32 of an inch in the chains is acceptable. If the movement of a chain exceeds 3/32 of an inch, adjust the chain as follows:

1. Loosen the screws securing the motor to the mounting frame.
2. Pry on the motor to apply tension to the chain. Do not over-tension the drive chain.
3. Keep tension on the chain while tightening the screws.

6.2 CHAIN DRIVE LUBRICATION

Sprockets, chains, and gears should be well greased. If necessary, lubricate the pan and tilt gears, sprockets, and chains as follows with a high-quality grease capable of withstanding temperatures from -50° to 170°F (-46° to 77°C). Do the following:

1. Liberally apply grease to the pan and tilt gears, chains, and sprockets (refer to Figure 5).
2. Operate the pan and tilt motors to spread the grease across the parts.
3. Apply additional grease if necessary.
4. Reinstall the cover. If the pan/tilt is installed outdoors in an inverted position, apply RTV silicone sealant as shown in Figure 1.




Figure 5. Servicing the Pan/Tilt

7.0 SPECIFICATIONS

MECHANICAL

Pan:	0-355° movement in horizontal plane
Speed:	6°/sec ±1° (No load condition)
Torque:	10 ft/lb with specified voltage
Tilt:	±90° movement in vertical plane
Speed:	3°/sec ± .5° (No load condition)
Torque:	20 ft/lb with specified voltage
Maximum Load:	40 lb (18.16 kg) at 5 inches (12.7 cm) from tilt table surface to center of gravity (upright or inverted)
Gearing:	Adjustable worm gear final drive to prevent drift and minimize backlash
Bearings:	
Pan	Heavy-duty ball bearings
Tilt	Oilite bronze bushing
Braking:	Mechanical friction-type
Duty Cycle:	50% duty cycle; 30 minute rating

ELECTRICAL

Input Voltage:		
PT570P	120 VAC, 50/60 Hz	
PT570-24P	24 VAC, 50/60 Hz	
Power Requirements:		
Running:	<u>24V Units</u>	<u>120V Units</u>
Pan	.9 amp (21.6 vA)	.18 amp (21.6 vA)
Tilt	.9 amp (21.6 vA)	.18 amp (21.6 vA)
Starting:	<u>24V Units</u>	<u>120V Units</u>
Pan	1.35 amps (32.4 vA)	.27 amp (32.4 vA)
Tilt	1.35 amps (32.4 vA)	.27 amp (32.4 vA)
Connectors:	AMP CPC type (mate supplied)	
Motors:	Two-phase induction type, instantaneous reversing	
Conductor Requirements:	6 or 7, unshielded (Functions: left, right, up, down, motor common, safety ground). No additional conductors for autoscan when used with solid-state control. PP option requires additional 4 conductors.	
Cable Distances:	Refer to Section 3.3	

GENERAL

Construction:	Aluminum plate; all internal parts corrosion protected
Finish:	Gray polyester powder coat
Environment:	Indoor/outdoor
Temperature:	-10° to 120°F (-23° to 49°C)
Dimensions:	See Figure 6
Weight:	22 lb (9.9 kg)
Shipping Weight:	25 lb (11.5 kg)




Figure 6. PT570P/PT570-24P Series Dimension Drawing

8.0 WARRANTY AND RETURN INFORMATION

WARRANTY

Pelco will repair or replace, without charge, any merchandise proved defective in material or workmanship for a period of one year after the date of shipment. Exceptions to this warranty are as noted below:

- Three years on Genex™ Series (multiplexers, server, and keyboard).
- Two years on all standard motorized and fixed focal length lenses.
- Two years on Esprit™, Legacy®, Intercept®, PV1000 Series, CM6700/CM8500/CM9500/CM9750/CM9760 Matrix, Spectra®, DF5 Series and DF8 Fixed Dome products.
- Two years on WW5700 series window wiper (excluding wiper blades).
- Two years on cameras.
- Six months on all pan and tilts, scanners or preset lenses used in continuous motion applications (that is, preset scan, tour and auto scan modes).

Pelco will warrant all replacement parts and repairs for 90 days from the date of Pelco shipment. All goods requiring warranty repair shall be sent freight prepaid to Pelco, Clovis, California. Repairs made necessary by reason of misuse, alteration, normal wear, or accident are not covered under this warranty.

Pelco assumes no risk and shall be subject to no liability for damages or loss resulting from the specific use or application made of the Products. Pelco's liability for any claim, whether based on breach of contract, negligence, infringement of any rights of any party or product liability, relating to the Products shall not exceed the price paid by the Dealer to Pelco for such Products. In no event will Pelco be liable for any special, incidental or consequential damages (including loss of use, loss of profit and claims of third parties) however caused, whether by the negligence of Pelco or otherwise.

The above warranty provides the Dealer with specific legal rights. The Dealer may also have additional rights, which are subject to variation from state to state.

If a warranty repair is required, the Dealer must contact Pelco at (800) 289-9100 or (559) 292-1981 to obtain a Repair Authorization number (RA), and provide the following information:

1. Model and serial number
2. Date of shipment, P.O. number, Sales Order number, or Pelco invoice number
3. Details of the defect or problem

If there is a dispute regarding the warranty of a product which does not fall under the warranty conditions stated above, please include a written explanation with the product when returned.

Ship freight prepaid to: Pelco
300 West Pontiac Way
Clovis, CA 93612-5699

Method of return shipment shall be the same or equal to the method by which the item was received by Pelco.

RETURNS

In order to expedite parts returned to the factory for repair or credit, please call the factory at (800) 289-9100 or (559) 292-1981 to obtain an authorization number (CA number if returned for credit, and RA number if returned for repair). Goods returned for repair or credit should be clearly identified with the assigned CA/RA number and freight should be prepaid. All merchandise returned for credit may be subject to a 20% restocking and refurbishing charge.

Ship freight prepaid to: Pelco
300 West Pontiac Way
Clovis, CA 93612-5699

®Pelco and the Pelco logo are registered trademarks of Pelco.
©Copyright 1999, Pelco. All rights reserved.