

# Intrusion Alarm Systems

Powered by International Standards





# Customers We Serve

**Banks**



**Warehouses**



**Apartments & Villas**



**Temples**



**Retail stores**



**Airports**



**Defense**



**Schools**










# Be in control

Our superior EN-Graded Control Panels, Expanders, Keypads, and Premier Elite SmartKey are designed with state-of-the-art technology to give you peace mind for all things that matter.








## 01 Control Panels

Explore our range of control panels that are tailored to suit your security needs.

	<b>Premier Elite 24</b> CAA-0070	<b>Premier Elite 64-W LIVE</b> GEX-0005	<b>Premier Elite 88</b> CAC-0042	<b>Premier Elite 168</b> CAD-0044	<b>Premier Elite 640</b> CAE-0033
					
On-board zones	Wired – 8 Wireless - 0	Wired – 4 Wireless - 32	Wired – 8 Wireless - 0	Wired – 8 Wireless - 0	Wired – 0 Wireless - 0
Expandable up to	24 zones	64 zones	88 zones	168 zones	640 zones
Areas/ Partitions	2 Areas	4 Areas	8 Areas	16 Areas	64 Areas
Keypad support up to	2	4	8	16	64
User code	25	50	100	200	500
EN50131-3	Grade 2	Grade 2	Grade 3	Grade 3	Grade 3

# 02 Expanders

Explore our high-quality expanders that offer superior design flexibility, increased system options with extended sensor range.

<b>Premier Elite 8XP</b> CCB-0036	<b>Premier Elite 8XP-W</b> GCD-0003	<b>Premier Elite 32XP-W</b> GCA-0003	<b>Premier Elite iXP-W</b> GEC-0004	<b>Premier Elite PSU200-XP</b> CCJ-0014
				
Wired 8 Zone Expander	Wireless 8 Zone Expander	Wireless 32 Zone Expander	8 Zone Expander for connecting Texecom wireless sensors to any 3rd party control panel	In-built 2.5A SMPS, tamper and weather resistant EN Grade 3 expander
Connects control panel to 8 wired sensors	Connects control panel to 8 wireless sensors	Connects control panel to 32 wireless sensors	Monitors global tamper and global low battery	Built in 8XP zone Expander
8 Programmable outputs	0	0	0	8 Programmable outputs










# 03

## Keypads

Operate or program the control panels with our keypads. The combination of stunning looks and unmatched features, our keypads are the preferred choice.

<b>Premier LCD Keypad</b> DBA-0165	<b>Premier Elite LCDLP</b> DBD-0190	<b>Premier Elite LCDLP-W</b> GCE-0002	<b>Premier Elite Satin Chrome</b> DBD-0175	<b>Premier Elite Gunmetal</b> DBD-0199
				
Wired remote keypad with green LCD and iconic keys	Wired remote keypad	Wireless remote keypad with <i>Ricochet®</i> Mesh Technology	Surface mounted and wired keypad	Flush mounted and wired keypad
2-line custom alphanumeric display	Blue LCD screen	Blue backlit display	Blue LCD screen	Blue LCD screen
2 Additional Zones	2 Additional Zones	N/A	2 Additional Zones	2 Additional Zones
Not present	Built-in Proximity Tag Reader	Built-in Proximity Tag Reader	Built-in Proximity Tag Reader	Built-in Proximity Tag Reader

# 04

## Premier Elite SmartKey (GCC-0012)

It's your key to smart security. The Premier Elite SmartKey offers smart features that are intelligent, wireless and equipped with our proprietary *Ricochet®* Mesh Technology that is designed keeping your convenience in mind.



- Integral RFID Proximity Tag for use with compatible Proximity Readers and Keypads
- Alarm system status display
- Remote arm, part arm and disarm
- Programmable two button panic alarm
- Remote control of up to 3 programmable outputs. Typical applications include garage door control, external lighting control and automatic gate control
- Replaceable lithium CR2 battery offers 2 to 3-year typical battery life





## Sense any kind of intrusion accurately and timely

All our wireless sensors are embedded with our exclusive *Ricochet®* Wireless Technology that offers the benefits of encrypted and bi-directional wireless communication, longer battery life, superior range and signal security.










# Motion Detectors

Texecom's new range of motion detectors, Capture, is our highest performing, most reliable, easiest to install range of detectors, ever.




01<sup>(a)</sup>

Wired  
Motion  
Detectors

				
<b>Capture P15</b> AKB-0001	<b>Capture Q20</b> AKC-0001	<b>Capture D20</b> AKD-0001	<b>Capture A20</b> AKE-0001	<b>Capture CQ</b> AKF-0001
Wall mount. 15m / 90° volumetric coverage	Wall mount. 20m / 90° volumetric coverage	Wall mount. 20m / 85° coverage	Wall mount. 20m / 85° volumetric coverage	Ceiling mount. 9.3m / 360° coverage
Dual element pyro	Quad element pyro	Quad pyro + K-band microwave	Quad pyro + k-band microwave	Quad element pyro
Optional PetWise mode	Optional PetWise mode	Dual tech/ PetWise/ CloakWise modes	Anti-masking PIR with Dual tech/ Cloakwise / Low sensitivity modes	Optional Low sensitivity mode
EN50131-2-2 Grade 2	EN50131-2-2 Grade 2	EN50131-2-4 Grade 2	EN50131-2-4 Grade 3	EN50131-2-2 Grade 2







## 01<sup>(b)</sup> Wireless Motion Detectors

		
<b>Capture P15-W</b> GDA-0002	<b>Capture D20-W</b> GDC-0002	<b>Capture CQ-W</b> GDD-0002
Wall mount. 15m / 90° volumetric coverage	Wall mount. 20m / 85° coverage	Ceiling mount. 9.3m / 360° coverage
Dual element pyro	Quad pyro + k-band microwave	Quad element pyro
Optional PetWise mode	Dual tech / PetWise / CloakWise modes	Optional Low sensitivity mode
EN50131-2-2 Grade 2	EN50131-2-4 Grade 2	EN50131-2-2 Grade 2

## Magnetic Contacts

Our magnetic contacts are perfect to protect your doors, windows, cupboards and drawers.

## 02





			
<b>Micro Contact – W</b> GHA-0004 (White), GHA-0005 (Grey), GHA-0006 (Brown)	<b>Impaq SC-W</b> GJA-0002	<b>Impaq SC</b> AEK-0006 (White), AEK-0007 (Brown)	<b>Magnetic Door Contact</b> AEP-0001
The smallest wireless door contacts that provide unobtrusive and discreet security	Wireless door & vibration sensor that can also be used to integrate Optex sensors wirelessly with Texecom panel	Wired vibration/ door sensor	Wired surface mount door contact
<i>Ricochet®</i> Mesh Technology	VIBER™ Accelerometer Technology for vibration detection	VIBER™ Accelerometer Technology for vibration detection	Built-in resistors for Fully Supervised Loop
EN50131-2-6 and EN50131-5-3 Grade 2	EN50131-2-8, EN50131-2-6 and EN50131-5-3 Grade 2	EN50131-2-6 and EN50131-2-8 Grade 2	EN50131-2-6, Grade 3 compliant



## Shock/ Vibration Sensors

Browse through our range of vibration and acoustic based glass break detectors that detect burglar intrusions and other unwanted incidents.




03

			
<b>Micro Shock – W</b> GHC-0004	<b>Impaq S</b> AEJ-0004 (White), AEJ-0006 (Brown)	<b>Veritas Impaq E</b> AEA-0012 (white) AEA-0014 (brown)	<b>Premier Impaq Glass Break</b> AEC-0018
Wireless miniature vibration sensor with Accelerometer technology	Wired vibration sensor with VIBER™ Accelerometer Technology	Wired vibration sensor with Piezo-electric transducer technology	Wired glass break sensor with advanced Digital Acoustic technology
Suited for window frames, doors and concrete walls	Suited for window frames, doors and concrete walls	Suited for window frames and doors	Suited for plate, tempered, laminated and wired glass
5 sensitivity level setting	5 sensitivity level setting	Adjustable sensitivity	Adjustable sensitivity
EN50131-2-8 and EN50131-5-3 Grade 2	EN50131-2-8 Grade 2	EN50131-1 Grade 2	EN50131-2-7 Grade 2

## Panic Buttons

Our one button or two button panic buttons are used for medical alerts or in emergency situations.




04

		
<b>Premier Elite Micro PA-W</b> GHE-0001	<b>Premier Elite PA DP-W</b> GBG-0003	<b>Premier Elite PA DP</b> AEG-0001
The single button operated Micro PA-W is Texecom's smallest ever wireless panic button, providing virtually unnoticeable protection wherever needed	Wireless double push panic button provides flexibility in device location and positioning, and delivers fast and reliable wireless emergency notifications	Wired double push panic button
Single button, double press operation	Double button, single push panic button	Double button, single push panic button
3-year typical battery life	Up to 4-year battery life	N/A

## Miscellaneous

We offer miscellaneous sensors such as smoke sensors, roller shutter contact sensors and seismic sensors.

05

		
<b>Premier Elite OH-W</b> <b>GBN-0003</b>	<b>Roller Shutter Contact</b> <b>AEF-0001 (Grade 2)</b> <b>AEN-0001 (Grade 3)</b>	<b>Seismic Sensor</b> <b>AFZ-0001</b>
<p>Wireless optical and heat multisensor. Heat enhancement ensures high sensitivity to fast burning fires while the optical chamber provides exceptional false alarm immunity</p>	<p>High quality alloy finish heavy duty roller shutter contact</p>	<p>Provides reliable detection and high immunity to false alarms when mounted on steel or concrete objects such as firearm cabinets, payment terminals, ATMs, safes, concrete walls and the likes</p>
<p>Optical and heat fire sensing</p>	<p>EN50131-2-6, Grade 2/ 3 compliant</p>	<p>Detects intrusion attempts with explosives and mechanical tools such as diamond drills, cutting discs, grinding and thermal tools</p>





## Get instant alerts




Our premium communicators and external sounders are designed with excellent engineering finesse to ensure you get notified and alerted instantly.



# Communicators

In case of emergencies, trust our range of communicators that are designed to notify you instantly and provide ample time to take corrective measures.

01

		
<b>Texecom Connect SmartCom</b> <b>CEL-0003</b>	<b>Premier Elite Com – IP</b> <b>CEJ-0008</b>	<b>Premier Elite Com2400</b> <b>CGE-0003</b>
<p>Our latest Ethernet and WiFi communicator that facilitates the Texecom Connect mobile app experience by connecting any Premier Elite control panel to a local area network</p>	<p>The Premier ComIP module allows alarms to be signalled over an IP network to an alarm receiving centre</p>	<p>Plug-on PCB that provides 4 recordable 10 second audio messages and lets you make phone calls</p>
<p>Ethernet and Wi-Fi communicator</p>	<p>Connects from the Premier Elite Series control panels to LAN/WAN</p>	<p>Plug-on multi-protocol digital communicator</p>
<p>Enabled to monitor cameras and control operation of security system</p>	<p>Allows alarms to be signaled over an IP network to an alarm receiving centre</p>	<p>2400-baud modem enabling SMS text messaging</p>
<p>EN 50136-2 and EN 50131-10 Grade 3</p>	<p>EN50131-3 Grade 3</p>	<p>EN50131-3 Grade 3</p>





## External Sounders

Designed for high-risk applications, our sounders combine high output audible and visual alarm signaling with EN Grade 3 level diagnostics and fault monitoring.


02

		
<b>Premier Elite Odyssey 5-W</b> GBT-0002	<b>Premier Elite Odyssey 3</b> FCC-1970	<b>Premier Elite Odyssey 3 Metal</b> FCC-2084
Wireless high-security sounder-cum-flasher	Wired high-security sounder-cum-flasher with built-in back-up battery and triple tamper protection	Wired heavy-duty sounder-cum-flasher with 1.5mm galvanized steel backplate
Piezo Sounder producing 105dB(A)	Twin Piezo Sounders producing 115dB	Twin Piezo Sounders producing 115dB
Wall and lid tamper detection	Wall, screw and lid tamper detection	Wall, lid and internal steel cover tamper detection
IP65 sealed electronics module	IP65 sealed electronics module	IP65 sealed electronics module
EN50131-4 and EN50131-5-3 Grade 2	EN50131-4 Grade 3	EN50131-4 Grade 3



## Get digital

Stay protected digitally. Our apps Texecom Connect and TexecomPro will help you stay safe with just a click.



- Protects the things you love with a state-of-the-art security system that gives you control by letting you interact and automate your home or business directly from your smartphone
- Integrates with Texecom's flagship 'Premier Elite Series' security systems, allowing you to take direct control of your home and security

## TexecomPro

- Offers easy access to product information with keyword searches, intuitive menus and built-in barcode scanning
- Provides access to manuals and specifications
- Dynamic content automatically adjusts to your device screen size, ensuring an optimum viewing on any device
- Push notifications of Texecom alerts ensure that you will never miss a critical Texecom news update





#### **Head Office**

St. Crispin Way  
Haslingden  
Lancashire  
BB4 4PW  
UK

+44 (0)1706 234800

#### **Injection Moulding Facility**

Slackcote Lane  
Delph  
Oldham  
OL3 5TW UK

+44 (0)1457 821100

#### **India Office**

Halma India Prestige  
Shantiniketan  
7th Floor, Tower C  
Whitefield Main Road  
Bengaluru 560048,  
INDIA

+91 80 6747 5300

#### **China Office**

Room 1601,  
Kuntai International  
Mansion Building 1t  
YiNo.12 ChaoWai Street,  
Chao Yang District  
Beijing PRC 100020

+86 10 5126 1868

#### **Halma Plc**

Halma p.l.c  
Misbourne Court  
Rectory Way  
Amersham  
Bucks HP7 0DE  
UK

+44 (0)1494 721111

## Integration Partners



# WE MAKE YOUR SECURITY

## Our primary concern

Connect with us for all  
your security needs

### A HALMA COMPANY

#### Halma India Pvt. Ltd.

Prestige Shantiniketan, Gate No. 2, Tower C, 7th  
Floor, Whitefield Main Road, Mahadevapura,  
Bengaluru Karnataka 560 048, India.

#### Mumbai:

Halma India Pvt. Ltd. Dyna Business Park, 5th  
Floor, Opp. Marol Bus Depot, Behind Tunga  
Restaurant, Plot A-57, Street No. 1, MIDC, Andheri  
(East), Mumbai 400 093, India.

**Tel: +91 80 6747 530 | [indiasales@texe.com](mailto:indiasales@texe.com)**

**For more information about the products we sell,  
please visit Texecom India website –**

**[www.texe.in](http://www.texe.in)**

#### Our Sales Team:

##### Mr. Santosh Nanda

Sales Manager - Projects and Business Development  
[snanda@texe.com](mailto:snanda@texe.com) | 88790 24029

##### Mr. Vinay Varma

Sales Manager - Channel Sales  
[nvinay@texe.com](mailto:nvinay@texe.com) | 95815 66669

##### Ms. Shefali Chaskar

Project Sales – North and East India  
[schaskar@texe.com](mailto:schaskar@texe.com) | 86575 58140

##### Mr. Amol Magdum

Area Sales Manager  
[amagdum@texe.com](mailto:amagdum@texe.com) | 86521 06611

#### Technical Support:

Email: [indiatechsupport@texe.com](mailto:indiatechsupport@texe.com)

Phone: 91520 10269



**TexecomPro** We are available on Google Play | App Store